| © Copyri                           | al Composition D<br>ight 2005. IPC, Bannoc<br>onal and Pan-American                                  | kburn, Illinois. A        | Il rights reserved untions. | under both   | This docume<br>level parts, t                                      | ent is a declaration e                | on of the su<br>ncompasses | ibstances v<br>s all lower | within the manufactu<br>level materials for v | rer listed i<br>which the n     | em. Note:<br>nanufacture | if the item is an as<br>or has engineering | ssembly with low responsibility. |  |
|------------------------------------|--|---------------------------|-----------------------------|--------------|--|---------------------------------------|----------------------------|----------------------------|---|---------------------------------|--------------------------|--|----------------------------------|--|
|                                    | IPC Web Site for Information on IPC-1752 Standard Form Typ<br>http://www.ipc.org/IPC-175x Distribute |                           |                             |              | * Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Materi |                                       |                            |                            |   | ials and M                      | als and Mfg Information  |  |                                  |  |
| Supplier Information               |  |                           |                             |              |  |                                       |                            |                            |   |                                 |                          |  |                                  |  |
| Company name* Co                   |  |                           | Company unique ID           |              |  | Unique ID Authority                   |                            |                            |   | Respons                         | Response Date*           |  |                                  |  |
| nsemi                              |  |                           |                             |              |  |                                       |                            |                            | 2023-06                                       | 2023-06-08                      |                          |  |                                  |  |
| Contact Name Title                 |  |                           | Title - Contact             |              |  | Phone - Contact*                      |                            |                            |   | Email -                         | Email - Contact*         |  |                                  |  |
| Product-Env-Stewards Pro           |  |                           | Product Enviro Compliance   |              |  | NA                                    |                            |                            |   | Product-Env-Stewards@onsemi.com |                          |  |                                  |  |
| Authorized Representative* Title - |  |                           | itle - Representative       |              |  | Phone - Representative*               |                            |                            |   | Email - Representative*         |                          |  |                                  |  |
| Product-Env-Stewards               | Product Envi   | Product Enviro Compliance |                             |              | NA   |                                       |                            |                            | Produc  | Product-Env-Stewards@onsemi.com |                          |  |                                  |  |
| Requester Item Num                 | ber Mfr Ite  | em Number                 | nber Mfr Item Name          |              |  | Effective Date                        | Version Manufacturing Site |                            |   | Weight*                         | UOM                      | Unit Type                                  |                                  |  |
|                                    | FAN5   | AN54053UCX 1.5A SMBC-500m |                             | mA OTG-ppath | -ppath 2023-06   |                                       |                            | P                          | РВВ   |                                 | 5.698                    | mg   | Each                             |  |
| Ianufacturing Proccess             | Information  |                           |                             |              |  |                                       |                            |                            |   |                                 |                          |  |                                  |  |
| Terminal Plating / Gri             | Terminal Plating / Grid Array Material Terminal Bas  |                           | Alloy J-STD-020 MSL Rating  |              | L Rating   | Peak Process Body Temperature Max Tin |                            | e Max Time at Peal         | eak Temperature Number of Reflow Cycles       |                                 | cles                     |  |                                  |  |
| SnAgCu CU A                        |  | CU Alloy                  | 1                           |              |  | 260 C 3                               |                            | 30                         | seconds 3                                     |                                 |                          |  |                                  |  |
| omments                            |  |                           |                             |              |  |                                       |                            |                            |   |                                 |                          |  |                                  |  |
| vel 1 - maximum time at peak       | temperature during   | oldering is 10-3          | 0 seconds                   |              |  |                                       |                            |                            |   |                                 |                          |  |                                  |  |
| or more information regarding      | g material compositio  | n please refer to         | page 3                      |              |  |                                       |                            |                            |   |                                 |                          |  |                                  |  |

| RoHS Material Composition Declaration  |  |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |
|--|--|--|---|---|---|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>y others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the   | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and cc<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa  | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |
| Exemption: If the declared item does not con applicable exemptions.  | ntain RoHS restricted substances per   | the definition above   | except for defined RoHS exempti   | ons, then select the corresponding response i   | n the RoHS Declaration above and choose all   |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU   |  |   |   |   |  |  |  |  |  |  |
| Declaration Signature  |  |  |   |   |   |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester  | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska  | Le   |   |   |   |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| Homogeneous Material     | Weight  | Unit of Measure | Level    | Substance  | CAS        | Exempt | Weight | Unit of Measure |
|--------------------------|---------|-----------------|----------|--|------------|--------|--------|-----------------|
| Backside Protection Film | 0.16487 | mg              | Supplier | Ortho Cresol Novolac Resin                             | 29690-82-2 |        | 0.0345 | mg              |
|                          |         |                 | Supplier | Carbon Black (C)                                       | 1333-86-4  |        | 0.0031 | mg              |
|                          |         |                 | Supplier | Silica (SiO2)  | 14464-46-1 |        | 0.0928 | mg              |
|                          |         |                 | Supplier | 2,4,6-Tris[Bis(Methoxymethyl)Amino]-<br>1,3,5-Triazine | 3089-11-0  |        | 0.0345 | mg              |
| Die                      | 4.01069 | mg              | Supplier | Silicon (Si)   | 7440-21-3  |        | 3.9815 | mg              |
|                          |         |                 | Supplier | Aluminum (Al)  | 7429-90-5  |        | 0.0292 | mg              |
| Solder Ball              | 1.52096 | mg              | Supplier | Silver (Ag)  | 7440-22-4  |        | 0.0859 | mg              |
|                          |         |                 | Supplier | Tin (Sn)   | 7440-31-5  |        | 1.4259 | mg              |
|                          |         |                 | Supplier | Copper (Cu)  | 7440-50-8  |        | 0.0092 | mg              |
| Under Bump Metal         | 0.00148 | mg              | Supplier | Titanium (Ti)  | 7440-32-6  |        | 0.0004 | mg              |
|                          |         |                 | Supplier | Copper (Cu)  | 7440-50-8  |        | 0.0011 | mg              |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).